






Related work
Position update
Momentum update
Acceleration (Force) calculation
Hybrid approach
Movie
Experiments
Future work
Conclusions

SIGGRAPH
2001 Computer Animation




Kinetic energy:

$$\sum_{i=1}^k \frac{1}{2} m_i \vec{v}_i \cdot \vec{v}_i + \frac{1}{2} \mathbf{w}_i^T I_i \mathbf{w}_i$$

"Distance" to target:


$$\sum_{i=1}^k \frac{1}{2} m_i \Delta\Delta\bar{x}_i \cdot \Delta\Delta\bar{x}_i + \frac{1}{2} \Delta\Delta\bar{r}_i^T I_i \Delta\Delta\bar{r}_i$$

SIGGRAPH
2001



Related work
 Position update
Momentum update
 Acceleration (Force) calculation
 Hybrid approach
 Movie
 Experiments
 Future work
 Conclusions

SIGGRAPH
2001



$$v(\bar{q}) = \bar{n} \cdot ((\bar{v}_b + \mathbf{w}_b \times (\bar{q} - \bar{x}_b)) - (\bar{v}_a + \mathbf{w}_a \times (\bar{q} - \bar{x}_a)))$$

SIGGRAPH
2001







Before the impulse: v^-
 After the impulse: v^+
 Collision law: $v^- \geq 0 : v^+ \geq 0$
 $v^- < 0 : v^+ \geq -\mathbf{e} \cdot v^-$
 Baraff, SIGGRAPH 89.







$$\bar{n} \cdot \vec{j} \geq 0,$$


$$(\bar{n}_x \cdot \vec{j})^2 + (\bar{n}_y \cdot \vec{j})^2 \leq m^2 (\bar{n} \cdot \vec{j})^2.$$

Note: this is the inside of a cone and convex but non-linear.

SIGGRAPH
2001








Related work
Position update
Momentum update
Acceleration (Force) calculation
Hybrid approach
Movie
Experiments
Future work
Conclusions

SIGGRAPH
2001



Related work
Position update
Momentum update
Acceleration (Force) calculation
Hybrid approach
Movie
Experiments
Future work
Conclusions

SIGGRAPH
2001

Related work
Position update
Momentum update
Acceleration (Force) calculation
Hybrid approach
Movie
Experiments
Future work
Conclusions

SIGGRAPH
2001